



DIMETHYLPHOSPHORO CHLORIDOTHIOATE

UN 2267

Other Names: Dimethyl thiophosphoryl chloride
Methyl PCT
Phosphorochloridothioic acid, O,O-dimethyl ester



Hazards:

- Very irritating to skin, eyes, nose and lungs; prolonged contact with skin causes burns
- Fire fighting gear (including SCBA) does not provide adequate protection. If exposure occurs, remove and isolate gear immediately and thoroughly decontaminate personnel
- Vapors are heavier than air and will collect and stay in low areas
- Container may BLEVE when exposed to fire
- Combustion and decomposition products upon heating include toxic hydrogen chloride and sulfur oxides

Awareness and Operational Level Training Response:

- Stay upwind and uphill
- Determine the extent of the problem
- Isolate the area of release or fire and deny entry
- For container exposed to fire evacuate the area in all directions because of the risk of BLEVE
- Evacuate or shelter in place the immediate area and downwind for a large release
- Notify local health and fire officials and pollution control agencies
- If material or contaminated runoff enters waterways, notify downstream users of potentially contaminated water

Description:

- Colorless to light amber liquid
- Insoluble in water
- Flammable
- Vapors are heavier than air and will collect and stay in low areas
- An organophosphate insecticide

Operational Level Training Response:

RELEASE, NO FIRE:

- Stop the release if it can be done safely from a distance
- Prevent material and runoff from entering sewers and waterways if it can be done safely well ahead of the release
- Use large amounts of water to disperse vapors - contain runoff
- Ventilate confined area if it can be done without placing personnel at risk

FIRE:

- Specially trained personnel operating from a safe distance can fight fires using foam or dry chemical if available in sufficient amounts or use fog streams to extinguish burning liquid. Keep exposures cool to protect against re-ignition. Do not direct straight streams into liquid.
- Cool exposed containers with large quantities of water from unattended equipment or remove intact containers if it can be done safely
- If cooling streams are ineffective (venting sound increases in volume and pitch, tank discolors or shows any signs of deforming), withdraw immediately to a secure location

First Aid:

- Do not put yourself in danger by entering a contaminated area to rescue a victim
- Provide Basic Life Support/CPR as needed
- Decontaminate the victim as follows:
 - ◆ Inhalation - remove the victim to fresh air and give oxygen if available
 - ◆ Skin - remove and isolate contaminated clothing (including shoes) and wash skin with soap and large volumes of water for 15 minutes
 - ◆ Eye - rinse eyes with large volumes of water or saline for 15 minutes
 - ◆ Swallowed - do not make the victim vomit
- Seek medical attention
- Toxic effects may be delayed
- Note to physician: an organophosphate insecticide; if symptoms indicate, atropine is the initial antidote

CAS: 2524-03-0